




USER GUIDE




Zeba soil amendment keeps moisture where it's needed near plant roots to get crops, plants and turf off to a fast start and thriving all season long.





CROP	DOSE, Kgs/Ac	DOSE, Kgs/HA	METHOD
Beans	5	12.5	Apply ZEBE in furrow at planting OR Apply ZEBE by side-dressing 2-4" off the seed and 4-6" deep
Corn	5	12.5	Apply ZEBE in furrow at planting OR side-dress 4-6" below the soil post plant
Grape	5	12.5	Apply ZEBE evenly in planting trench OR Apply ZEBE to established orchards by band placement 4-6" into the soil
Legumes	5	12.5	Apply ZEBE by mixing with fertilizers and applying in furrow at planting
Leafy Vegetables	5	12.5	Apply ZEBE by incorporating into root zone during bed formation
Vegetables, Melons, Cucurbits, Gourds	5	12.5	Apply ZEBE by banding in bed formation 4-6" below the soil surface within root area OR Apply UPDT 1-3 weeks after transplanting by side-dressing 4-6" off the plants & 4-6" deep
Onion	5	12.5	Apply ZEBE by banding in during bed formation 4-6" deep. OR Apply ZEBE 1-3 weeks after transplanting by banding between plant rows 4-6" deep.
Potato	5	12.5	Apply ZEBE blending with fertilizers using seed-cum-fertilizer planter OR Apply ZEBE in furrow around seed pieces at planting
Cereals	5	12.5	Apply ZEBE by mixing with fertilizers using seed cum fertilizer drill at planting
Strawberry	5	12.5	Apply ZEBE by banding in the row at bed formation 4-6" below the soil surface in the root area
Sugarbeet	5	12.5	Apply ZEBE in furrow with fertilizers at planting
Banana	5	12.5	Apply ZEBE evenly in the planting pit at planting with quantity equally distributed among the plants per acre
Sugarcane	5	12.5	Apply ZEBE mixing with fertilizers in furrow at planting
Cotton	5	12.5	Apply ZEBE mixing with fertilizers in furrow using seed cum fertilizer drill at sowing OR Top dress UPDT within a month of sowing along with fertilizers as side dress



TREE	DOSE per TREE	METHOD
Pomegranate	16 g/tree	Apply ZEBA evenly in the planting pits at planting OR Apply ZEBA to established trees 4-6" below soil in a ring around the trees below the canopy along with fertilizers. Cover the ring with top soil and irrigate.
Apple / Citrus / Kinnow / Sweet Lime / Fig	32 g/tree	Apply ZEBA evenly in the planting pits at planting OR Apply ZEBA to established trees 4-6" below soil in a ring around the trees below the canopy along with fertilizers. Cover the ring with top soil and irrigate.
Sapota	100 g/tree	Apply ZEBA evenly in the planting pits at planting OR Apply ZEBA to established trees 4-6" below soil in a ring around the trees below the canopy along with fertilizers. Cover the ring with top soil and irrigate.
Mango	125 g/tree	Apply ZEBA evenly in the planting pits at planting OR Apply ZEBA to established trees 4-6" below soil in a ring around the trees below the canopy along with fertilizers. Cover the ring with top soil and irrigate.

NURSERY / POTTED	DOSE per 100Kg Mix	METHOD
Coco peat mix for nursery or potted plantsq	500 g / 100 kg mix	Mix thoroughly ZEBA with Coco peat dry mix in proportion recommended & use



@ 2008 Absorbent Technologies, Inc. All Rights Reserved. Zeba and the Zeba Logo are trademarks of Absorbent Technologies, Inc. Patented under U.S. Pat. #6,800,712, #7,009,020 and other patents pending.

Revision Date - 14 Jan 2008
Lit. # 20068-08



UPL Limited,
UPL House, 610 B/2, Bandra Village,
Off Western Express Highway,
Bandra-East, Mumbai 400 051, India.
P + 91 22 7152 8000
www.uplonline.com